PLEASE RETURN COMPLETED PILLOWCASE AND PATTERN IN BAGGIE.

This kit contains:

- 27" Main Fabric (cut salvage to salvage)
- 9"Cuff Fabric (cut salvage to salvage) (may be the same as the main fabric)
- 3" Accent Strip (cut salvage to salvage)

Use a ¼" seam allowance. Press fabric.


- 1. You may need to trim the pieces to make sure all are the same width. First, stack all strips with the largest piece on the bottom and lining up folds. Make one cut to remove all selvages (this will also make sure all strips are the same length). This will yield strips that are approximately 40" but no need to measure.
- 2. Next, press the ACCENT strip (3" strip) in half with wrong sides together. Strip measure 1 ½".
- 3. STACK all strips by matching the top and end raw edges and **RIGHT** sides up:

CUFF

MAIN

ACCENT STRIP


Pin along top raw edge.



- 5. Fold the ends of the cuff outward and pull the inside pillowcase out. (this is commonly called the HOT DOG method) Press.
- 6. FINISHING use either method to finish the pillowcase.
 - Simple overcast seam. With <u>right</u> sides together, sew the side and bottom raw edge with an overcast stitch us<u>ing</u> %" seam and then use a zigzag stitch to finish the raw edge. You can also use a serger to seam the raw edges.

 French Seam Method —Place WRONG sides together and sew the side and bottom raw edge with %" seam. Trim raw edges to 1/8" from the stitiching. Turn pillowcase so right sides are together (you now have the pillowcase with wrong side facing you). Stitch a %" (or 3/8") seam. The seam will incase the raw edges.
- 7. Turn pillowcase right side out and press. Please fold completed pillowcase in the baggie along with the pattern.

THANK YOU!



Rolled up

bottom edge main

CUFF